

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
9 October 2003 (09.10.2003)

PCT

(10) International Publication Number
WO 03/082825 A1

(51) International Patent Classification⁷: C07D 215/00,
239/00, 491/00, A61K 31/435, A61P 25/16

(74) Agent: ORION CORPORATION; Orion Pharma, Industrial Property Rights, P.O. Box 65, FIN-02101 Espoo (FI).

(21) International Application Number: PCT/FI03/00254

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(22) International Filing Date: 3 April 2003 (03.04.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/369,323 3 April 2002 (03.04.2002) US

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): ORION CORPORATION [FI/FI]; Orionintie 1, FIN-02200 Espoo (FI).

Published:

— with international search report

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): SALLINEN, Jukka [FI/FI]; Puutarhakatu 24 C 32, FIN-20100 Turku (FI). SIRVIÖ, Jouni [FI/FI]; Hiirihaukantie 23, FIN-70820 Kuopio (FI).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 03/082825 A1

(54) Title: USE OF AN ALFA2-ADRENORECEPTOR ANTAGONIST FOR CNS-RELATED DISEASES

(57) Abstract: The invention relates to a method for the treatment of symptoms of disorders and conditions with sensorimotor gating deficits with an alpha2-adrenoceptor antagonist, or its pharmaceutically acceptable ester or salt thereof, being selective for the alpha2C-adrenoceptor subtype.

USE OF AN ALFA2-ADRENORECEPTOR ANTAGONIST FOR CNS-RELATED DISEASES

FIELD OF THE INVENTION

The present invention relates to a method for the treatment of symptoms of disorders and conditions associated with sensorimotor gating deficits. More specifically, in
5 such a method a therapeutically effective amount of an alpha2-adrenoceptor antagonist, or its pharmaceutically acceptable ester or salt thereof, selective for the alpha2C-adrenoceptor subtype is administered to a mammal in need of such treatment.

10 BACKGROUND OF THE INVENTION

The publications and other materials used herein to illuminate the background of the invention and in particular cases to provide additional details respecting the practice are incorporated by reference.

The startle reflex is a short-latency response of the skeletal musculature elicited by a
15 sudden auditory stimulus. Prepulse-inhibition (PPI) of the startle response refers to the reduction in the startle response caused by a low intensity non-startling stimulus (the prepulse) which is presented shortly before the startle stimulus. PPI can be used as an operational measure of sensorimotor gating and appears to be present in all mammals, including rats and humans (Swerdlow, N. R. et al., *The Archives of*
20 *General Psychiatry* **51** (1994) 139-154). Sensorimotor gating i.e. PPI deficits are observed in subgroups of patients with certain neuropsychiatric disorders, such as schizophrenia, obsessive compulsive disorder, Tourette's syndrome, blepharospasm and other focal dystonias, temporal lobe epilepsy with psychosis, drug-induced psychosis (Braff, D. L. et al., *Psychopharmacology (Berl)* **156**(2-3) (2001) 234-258),
25 and panic disorder (Ludewig, M.S. et al, *Depression and Anxiety* **15** (2002) 55-60). These PPI deficits can be produced in animals by psychostimulants, such as d-amphetamine or phencyclidine (PCP), and reversed by some antipsychotics. The PPI model has been shown to possess high predictive validity and it is therefore widely

used in the development of new therapeutic agents (Swerdlow, N. R. et al., *The Archives of General Psychiatry* **51** (1994) 139-154). Some, but not all, antipsychotics have also weak PPI-enhancing effects *per se*. The mechanisms how PPI is modulated in the CNS are complicated and only partially understood.

5 The alpha2-adrenoceptors, which include three subtypes (alpha2A, alpha2B, and alpha2C) encoded by three genes, mediate many of the central nervous system (CNS) effects of norepinephrine and regulate the release of several other neurotransmitters in addition to norepinephrine. The alpha2-adrenoceptors are suggested to have modulatory roles in various neuropsychiatric disorders, but their
10 significance in the development of new therapeutics for CNS disorders, especially the role of each alpha2-receptor subtypes is poorly known due to the unavailability of selective ligands for each of the alpha2-adrenoceptor subtypes. However, some hypotheses about the significance of the alpha2-subtypes in CNS disorders has been gained by studies employing mice with genetically altered alpha2-subtype
15 expression, which has produced new hypotheses about the possible actions of alpha2-subtype selective ligands (MacDonald. E. et al., *Trends Pharmacol. Sci.* **18** (1997) 211-219; Scheinin, M. et al., *Life Sci* **68(19-20)** (2001) 2277-85).

Subtype non-selective alpha2-adrenoceptor agonists are known to decrease startle reflex and antagonists to enhance startle reflex. However, the effects of alpha2-
20 agonists or antagonists on the sensorimotor gating phenomenon (i.e. on the prepulse inhibition of startle reflex) are unclear; the general conclusion is that PPI is not altered, but the interpretation is confounded by the effects of alpha2-drugs on startle *per se* (Geyer, M. A. et al., *Psychopharmacology (Berl)* **156(2-3)** (2001) 117-154).

25 SUMMARY OF THE INVENTION

The object of the present invention is to provide a new treatment possibility for symptoms of diseases and conditions characterized by sensorimotor gating deficits. The invention describes how a subtype selective alpha2C-adrenoceptor antagonist, but not subtype non-selective alpha2-adrenoceptor antagonist, enhances
30 sensorimotor gating (i.e. the prepulse-inhibition of startle reflex) *per se* and

especially when the normally functioning sensorimotor gating is disrupted by the psychostimulant phencyclidine (PCP).

Additional objects and advantages of the invention will be set forth in part in the description, which follows, and in part will be obvious from the description, or may
5 be learned by practice of the invention. The objects and advantages of the invention will be realized and attained by means of the elements and combinations particularly pointed out in the appended claims.

It is to be understood that the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the
10 invention as claimed.

BRIEF DESCRIPTION OF THE DRAWINGS

Figures 1A and 1B show the effect of the selective α_2C -antagonist acridin-9-yl-[4-(4-methylpiperazin-1-yl)-phenyl]amine (JP-1302) (WO 01/64645) on the startle
15 reflex and its prepulse inhibition in rats. The selective α_2C -antagonist enhanced sensorimotor gating (prepulse inhibition %) without significantly affecting the startle reactivity to intense pulses without prepulses. Asterisk refers to significant difference between vehicle and treatment group $p < 0.05$; 1-way ANOVA and LSD post hoc test.

Figures 2A and 2B show the effect of the α_2C -antagonist acridin-9-yl-[4-(4-methylpiperazin-1-yl)-phenyl]amine (JP-1302) and the α_2 -adrenoceptor subtype
20 non-selective α_2 -antagonist atipamezole on the startle reflex and its prepulse inhibition in rats pretreated with the psychostimulant phencyclidine (PCP). PCP clearly disrupted the PPI and this was effectively counteracted by the subtype selective α_2C -antagonist, but not by the receptor subtype non-selective α_2 -
25 antagonist atipamezole. Asterisks refer to significant difference in statistical comparisons between the vehicle (veh) + PCP and other treatment groups. * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$; 1-way ANOVA and LSD post hoc test.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to a novel therapeutic approach to treat the symptoms of disorders and conditions associated with sensorimotor gating deficits in mammals, including humans and animals. The results to be presented below show that a

5 subtype selective alpha2C-adrenoceptor antagonist, but not subtype non-selective alpha2-adrenoceptor antagonist, enhances sensorimotor gating (i.e. the prepulse-inhibition of startle reflex) *per se*.

In a previous study (Sallinen, J. et al., *J. Neurosci.* **18** (1998) 3035-42), alpha2C-knockout mutation was associated with weakened PPI whereas alpha2C-
10 overexpression demonstrated increased PPI. It was therefore speculated, that alpha2C-subtype-selective drugs might have therapeutic value in disorders associated with sensorimotor gating deficits. The novel selective alpha2C-antagonist acridin-9-yl-[4-(4-methylpiperazin-1-yl)-phenyl]amine (JP-1302) has now been tested for its therapeutic value in disorders associated with sensorimotor gating
15 deficits. The results obtained with alpha2C-antagonist turned out to be unexpected, since the previous studies with transgenic mice suggested that an alpha2C-agonist (but not antagonist) would enhance PPI (since overexpression of alpha2C enhanced PPI). Also the magnitude of the effect of the alpha2C-antagonist acridin-9-yl-[4-(4-methylpiperazin-1-yl)-phenyl]amine (JP-1302) can be considered surprising, and the
20 observed effect could not have been anticipated on theoretical basis (genetically altered alpha2C-expression did not affect the PCP -disrupted PPI, Sallinen, J. et al., *J. Neurosci.* **18** (1998) 3035-42).

In order to study the effect of alpha2-antagonists on startle reflex and its prepulse -inhibition, groups of rats (n =10/group) were pre-treated with the alpha2C-antagonist
25 or vehicle 20 min before measurement of the acoustic startle reactivity and PPI in a test system designed for startle studies (SR-LAB, San Diego Instruments, CA, USA). In a subsequent experiment the effects of the alpha2-adrenoceptor subtype selective alpha2C-antagonist and or the subtype non-selective antagonist atipamezole (Haapalinna, A. et al., *Naunyn-Schmiedeberg's Arch. Pharmacol.* **356** (1997) 570-
30 582) on PCP-induced PPI -disruption was studied. The antagonists were given 20 min, and PCP or vehicle 10 min before start of the startle measurements. The method

otherwise corresponds to the procedure described in Sallinen, J. et al., *J. Neurosci.* 18 (1998) 3035-42.

It was found that the receptor subtype selective alpha2C-antagonist acridin-9-yl-[4-(4-methylpiperazin-1-yl)-phenyl]amine (JP-1302) did not affect the startle reflex *per*

5 *se*, but it increased PPI dose-dependently and effectively (Figures 1A and 1B). The effect of the alpha2C-antagonist was especially clearly seen in the presence of PCP (Figures 2A and 2B). In the Figures 2A and 2B it is also shown that the specific and potent alpha2-antagonist atipamezole, that has no alpha2-adrenoceptor subtype selectivity, increased significantly the startle reactivity *per se*, but it had no effect on
10 the PPI phenomenon; this points to the significance of the alpha2C-adrenoceptor subtype selective antagonism.

The present findings suggest that an alpha2C-adrenoceptor selective antagonist can be used to treat symptoms of disorders and conditions associated with sensorimotor gating deficit, particularly symptoms of disorders and conditions wherein the
15 sensorimotor gating deficits results in sensory flooding and cognitive fragmentation causing dysfunction in attention and perception. Such disorders and conditions include, but are not limited to, schizophrenia, obsessive compulsive disorder, Tourette's syndrome, blepharospasm and other focal dystonias, temporal lobe epilepsy with psychosis, drug-induced psychosis (for example, psychosis caused by
20 chronic use of dopaminergic agents), Huntington's disease, Parkinson's disease, disorders caused by fluctuation of the levels of sex hormones (such as premenstrual syndrome), and panic disorder.

Further, said symptoms, which are usually associated with above-mentioned disorders or conditions include, but are not limited to, hallucination, delusion,
25 parathymia, agitation, psychotic cognitive impairment (including deficits in thinking and speech), social withdrawal and withdrawal symptoms (including delirium) associated with cessation of cigarette smoking or alcohol or drug abuse.

These symptoms may also be seen in animals in exceptional circumstances, for example, during withdrawal from masters or during transportation.

30 Furthermore, the present invention relates the use of an alfa2-adrenoceptor antagonist, or its pharmaceutically acceptable ester or salt thereof, said alfa2-

adrenoceptor antagonist being selective for the α_2C -adrenoceptor subtype, in the manufacture of a pharmaceutical for the treatment of symptoms of disorders and conditions associated with sensorimotor gating deficits in a mammal.

For the purposes of the invention the term "treatment" means treatment in order to
5 remedy or alleviate the symptoms of the disorder or condition, and treatment in order to prevent the development or the exacerbation of the symptoms.

For the purposes of the invention the term " α_2C -selective antagonist" or "an α_2 -adrenoceptor antagonist selective for the α_2C -adrenoceptor subtype" refers to a compound having no other major affinities for other α_2 -adrenoceptor
10 subtypes than for α_2C -adrenoceptor subtype. Accordingly, the α_2 -adrenoceptor antagonist should be at least ten-fold more selective for the α_2C -adrenoceptor subtype than for other α_2 -adrenoceptor subtypes.

Furthermore, the use of an α_2 -adrenoceptor antagonist selective for the α_2C -adrenoceptor subtype in combination with other psychiatric medication, that is used
15 in conditions in which sensorimotor gating deficits may appear, would be therapeutically beneficial by providing either an effective treatment to patient resistant to the said conventional therapeutic agents alone, or by providing a synergistic action with the said conventional therapeutic agents. Such psychiatric medication include, but is not limited to, an anxiolytic, antidepressive or
20 antipsychotic drug, which drug does not need to have effect on sensorimotor gating deficits.

The α_2 -adrenoceptor antagonist selective for the α_2C -adrenoceptor subtype and the second compound should preferably be administered to the patient during the same period of treatment. The most preferably, the α_2 -adrenoceptor antagonist
25 selective for the α_2C -adrenoceptor subtype and the second compound should be administered simultaneously. According to a particularly preferable embodiment, these compounds are administered from the same dosage form.

Such a combination therapy will allow the use of smaller doses of the said compounds and thereby substantially reduce their possible sedative effects, their
30 disturbance on motor functionality, and other adverse effects such as hypotensive effects.

For the purpose of the invention the alpha2-adrenoceptor antagonist; or its pharmaceutically acceptable ester or salt, selective for the alpha2C-adrenoceptor subtype can be administered by various routes. Typical routes of administration include, but are not limited to, oral, transdermal, transmucosal, and parenteral routes.

- 5 One skilled in the art would recognize the dosage forms suitable in the method of the present invention.

The precise amount of the drug to be administered to a mammal according to the present invention is dependent on numerous factors known to one skilled in the art, such as the compound to be administered, the general condition of the patient, the
10 condition to be treated, the desired duration of the treatment, the type of mammal, the method and route of administration etc. For a subtype selective alfa2C-antagonist the usual daily dosage will be from 1 to 500 mg, preferably from 10 to 30 mg, divided in 1 to 4 individual doses.

Those skilled in the art will appreciate that the embodiments described in this
15 application could be modified without departing from the inventive concept. Those skilled in the art also understand that the invention is not limited to the particular disclosed embodiments, but is intended to also cover modifications to the embodiments that are within the spirit and scope of the invention.

CLAIMS

1. Use of an alfa2-adrenoceptor antagonist, or its pharmaceutically acceptable ester or salt thereof, said alfa2-adrenoceptor antagonist being selective for the
5 alfa2C-adrenoceptor subtype, in the manufacture of a pharmaceutical for the treatment of symptoms of disorders and conditions associated with sensorimotor gating deficits.
2. The use according to claim 1, wherein the symptom is hallucination,
10 delusion, parathymia, agitation, psychotic cognitive impairment, social withdrawal and/or withdrawal symptom associated with cessation of cigarette smoking or alcohol or drug abuse.
3. The use according to claim 1, wherein the symptom is hallucination.
15
4. The use according to claim 1, wherein the symptom is delusion.
5. The use according to claim 1, wherein the symptom is parathymia.
- 20 6. The use according to claim 1, wherein the symptom is agitation,
7. The use according to claim 1, wherein the symptom is psychotic cognitive impairment.
- 25 8. The use according to claim 1, wherein the symptom is social withdrawal.
9. The use according to any one of claims 1 to 8, wherein the disorder or condition is schizophrenia, obsessive compulsive disorder, Tourette's syndrome, blepharospasm and other focal dystonias, temporal lobe epilepsy with psychosis,
30 drug-induced psychosis, Huntington's disease, Parkinson's disease, disorder caused by fluctuation of the levels of sex hormones or panic disorder.

10. The use according to any one of claims 1 to 8, wherein the disorder is schizophrenia.

11. The use according to any one of claims 1 to 8, wherein the disorder is
5 obsessive compulsive disorder.

12. The use according to any one of claims 1 to 8, wherein the disorder is Tourette's syndrome.

10 13. The use according to any one of claims 1 to 12, wherein the administering of the alpha2-adrenoceptor antagonist selective for the alpha2C-adrenoceptor is combined with the administering of other psychiatric medication.

14. The use according to any one of claims 1 to 13, wherein the mammal is a
15 human.

15. The use according to any one of claims 1 to 8 or 13, wherein the mammal is an animal.

1/2




FIG. 1B




FIG. 1A

2/2




FIG. 2B




FIG. 2A

INTERNATIONAL SEARCH REPORT

Intern: I Application No

PCT/FI 03/00254

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07D215/00 C07D239/00 C07D491/00 A61K31/435 A61P25/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07D A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, CHEM ABS Data, MEDLINE, EMBASE, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01 64645 A (SAVOLA JUHA MATTI ;WURSTER SIEGFRIED (FI); ENGSTROEM MIA (FI); HOE) 7 September 2001 (2001-09-07) claim 11 ---	1-15
X	WO 02 18348 A (HOFFMANN LA ROCHE) 7 March 2002 (2002-03-07) page 3, line 13 - line 14 ---	1-15
X	US 4 604 398 A (WARD TERENCE J) 5 August 1986 (1986-08-05) column 2, line 55 ---	1-15
X	US 4 686 226 A (HUFF JOEL R ET AL) 11 August 1987 (1987-08-11) column 1, line 5 - line 60 --- -/--	1-15

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

18 June 2003

Date of mailing of the international search report

- 7. 07. 2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

FERNANDO FARIETA / ELY

INTERNATIONAL SEARCH REPORT

Intern al Application No

PCT/FI 03/00254

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	US 6 426 350 B1 (BISCHOFF FRANCOIS PAUL ET AL) 30 July 2002 (2002-07-30) column 1, line 5 - line 30 ---	1-15
X	US 6 352 999 B1 (BRAEKEN MIRIELLE ET AL) 5 March 2002 (2002-03-05) column 1, line 10 - line 30 ---	1-15
P,X	US 6 495 555 B1 (KENNIS LUDO EDMOND JOSEPHINE ET AL) 17 December 2002 (2002-12-17) column 1, line 10 - line 25 ---	1-15
X	WO 00 37466 A (JANSSEN PHARMACEUTICA NV ;KENNIS LUDO EDMOND JOSEPHINE (BE); MERTE) 29 June 2000 (2000-06-29) claim 6 ---	1-15
X	US 6 156 757 A (LOVE CHRISTOPHER JOHN ET AL) 5 December 2000 (2000-12-05) column 1, line 10 - line 20 ---	1-15
P,A	US 2002/045614 A1 (BECKER CYRUS KEPHRA ET AL) 18 April 2002 (2002-04-18) claims 1-32 -----	1-15

Box I Observations where certain claims were found unsearchable-(Continuation of item 1 of first sheet)

1. ☐ Claims Nos.: _____
because they relate to subject matter not required to be searched by this Authority, namely: _____

- Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)**

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 1-15

The wording "sensorimotor gating deficits" is considered unclear and undefined in reference with the kind of diseases or symptoms such wording is limited to. Therefore, the initial phase of the search revealed a very large number of documents relevant to the issue of novelty. So many documents were retrieved that it is impossible to determine which parts of the claims may be said to define subject-matter for which protection might legitimately be sought (Article 6 PCT). For these reasons, a meaningful search over the whole breadth of the claims is impossible. Consequently, the search has been restricted to:

The alpha 2C antagonist cited in the description (Page 4 lines 12-22) as JP-1302 and structurally related compounds with diseases or symptoms according to broad claims 1-15.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

Best Available Copy
INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/FI-03/00254

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0164645	A	07-09-2001	AU 3933101 A	12-09-2001
			BR 0108816 A	10-12-2002
			CA 2400657 A1	07-09-2001
			EP 1263733 A2	11-12-2002
			WO 0164645 A2	07-09-2001
			HU 0204458 A2	28-04-2003
			NO 20024159 A	30-08-2002
WO 0218348	A	07-03-2002	AU 9378801 A	13-03-2002
			WO 0218348 A2	07-03-2002
			EP 1315714 A2	04-06-2003
			US 2002045614 A1	18-04-2002
US 4604398	A	05-08-1986	GB 2160862 A ,B	02-01-1986
US 4686226	A	11-08-1987	DE 3675714 D1	03-01-1991
			EP 0214556 A1	18-03-1987
			JP 62111986 A	22-05-1987
US 6426350	B1	30-07-2002	AU 760226 B2	08-05-2003
			AU 6089999 A	26-04-2000
			BG 105331 A	30-11-2001
			BR 9913110 A	08-05-2001
			CA 2346084 A1	13-04-2000
			CN 1321159 T	07-11-2001
			CZ 20011103 A3	12-12-2001
			EE 200100206 A	17-06-2002
			WO 0020422 A1	13-04-2000
			EP 1117667 A1	25-07-2001
			HU 0103612 A2	28-01-2002
			JP 2002526546 T	20-08-2002
			NO 20011309 A	15-03-2001
			NZ 509911 A	27-09-2002
			PL 347184 A1	25-03-2002
			SK 4312001 A3	03-12-2001
			TR 200100954 T2	21-12-2001
			US 2002169178 A1	14-11-2002
US 6352999	B1	05-03-2002	AU 759199 B2	10-04-2003
			AU 6334299 A	26-04-2000
			BG 105334 A	30-11-2001
			BR 9913108 A	08-05-2001
			CA 2346082 A1	13-04-2000
			CN 1321158 T	07-11-2001
			CZ 20011105 A3	12-12-2001
			EE 200100210 A	17-06-2002
			WO 0020423 A1	13-04-2000
			EP 1119570 A1	01-08-2001
			HU 0103749 A2	28-02-2002
			JP 2002526547 T	20-08-2002
			NO 20011402 A	20-03-2001
			NZ 510116 A	25-10-2002
			PL 347179 A1	25-03-2002
			SK 4332001 A3	03-12-2001
			TR 200100953 T2	21-09-2001
US 6495555	B1	17-12-2002	AT 232869 T	15-03-2003
			AU 760502 B2	15-05-2003

Best Available Copy
INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern: II Application No

PCT/FI-03/00254

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 6495555	B1	AU 6334199 A	26-04-2000
		BG 105332 A	30-11-2001
		BR 9913507 A	05-06-2001
		CA 2345622 A1	13-04-2000
		CN 1332744 T	23-01-2002
		CZ 20011104 A3	12-12-2001
		DE 69905478 D1	27-03-2003
		DK 1119571 T3	26-05-2003
		EE 200100209 A	17-06-2002
		WO 0020421 A2	13-04-2000
		EP 1119571 A2	01-08-2001
		HU 0104002 A2	28-03-2002
		JP 2002526545 T	20-08-2002
		NO 20011270 A	13-03-2001
WO 0037466	A	NZ 510115 A	26-11-2002
		PL 347894 A1	22-04-2002
		SK 4322001 A3	07-01-2002
		TR 200100952 T2	22-10-2001
		AU 2432700 A	12-07-2000
		BG 105521 A	31-12-2001
		BR 9916427 A	04-09-2001
		CA 2355716 A1	29-06-2000
		CN 1331692 T	16-01-2002
		CZ 20012120 A3	17-10-2001
		EE 200100329 A	15-08-2002
		WO 0037466 A1	29-06-2000
		EP 1140934 A1	10-10-2001
		HR 20010444 A1	30-06-2002
US 6156757	A	HU 0104812 A2	29-04-2002
		JP 2002533341 T	08-10-2002
		NO 20012783 A	06-06-2001
		NZ 511411 A	20-12-2002
		PL 348421 A1	20-05-2002
		SK 8582001 A3	03-12-2001
		TR 200101813 T2	21-12-2001
		WO 9845297 A1	15-10-1998
		AU 727599 B2	14-12-2000
		AU 7430798 A	30-10-1998
		BG 63848 B1	31-03-2003
		BG 103213 A	31-05-2000
		BR 9806263 A	04-04-2000
		CN 1237179 T	01-12-1999
		CZ 9900682 A3	16-08-2000
		EE 9900114 A	15-12-1999
		EP 1019408 A1	19-07-2000
		HU 0003624 A2	28-04-2001
		JP 3287577 B2	04-06-2002
		JP 2000505115 T	25-04-2000
		KR 2000036076 A	26-06-2000
		NO 990859 A	30-09-1999
		NZ 334501 A	23-06-2000
		PL 332382 A1	13-09-1999
		RU 2198175 C2	10-02-2003
		SK 28799 A3	12-03-2001
		TR 9900644 T2	21-09-2000
		ZA 9802969 A	07-10-1999

Best Available Copy
INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/FI 03/00254

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2002045614 A1	18-04-2002	AU 9378801 A	13-03-2002
		WO 0218348 A2	07-03-2002
		EP 1315714 A2	04-06-2003

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.